NSN 6625-00-668-9407

Ammeter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6625-00-668-9407

Circuit Current For Which Designed:

Circuit Current For Which Designed:
Dc
Overall Length:
1.281 inches
Scale Division Quantity:
50 single indicator single range
Overall Diameter:
2.250 inches
Installation Design:
Panel
Sensitivity Rating:
144.0 millivolts
Dial Scale Marking Color:
White single indicator single range
Accuracy In Percent:
-10.0/+10.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
0.906 inches
Meter Body Diameter Behind Mounting Flange:
2.000 inches
B 1 10 1
Background Color:
Black single indicator single range
-
Black single indicator single range
Black single indicator single range Measurement Range:
Black single indicator single range Measurement Range: -5.0/+5.0 amperes, dc single indicator single range
Black single indicator single range Measurement Range: -5.0/+5.0 amperes, dc single indicator single range Circuit Attachment Method And Quantity:
Black single indicator single range Measurement Range: -5.0/+5.0 amperes, dc single indicator single range Circuit Attachment Method And Quantity: 2 binding post
Black single indicator single range Measurement Range: -5.0/+5.0 amperes, dc single indicator single range Circuit Attachment Method And Quantity: 2 binding post Special Markings:
Black single indicator single range Measurement Range: -5.0/+5.0 amperes, dc single indicator single range Circuit Attachment Method And Quantity: 2 binding post Special Markings: Discharge and charge
Black single indicator single range Measurement Range: -5.0/+5.0 amperes, dc single indicator single range Circuit Attachment Method And Quantity: 2 binding post Special Markings: Discharge and charge Style Designator:
Black single indicator single range Measurement Range: -5.0/+5.0 amperes, dc single indicator single range Circuit Attachment Method And Quantity: 2 binding post Special Markings: Discharge and charge Style Designator: Round flush mtg
Black single indicator single range Measurement Range: -5.0/+5.0 amperes, dc single indicator single range Circuit Attachment Method And Quantity: 2 binding post Special Markings: Discharge and charge Style Designator: Round flush mtg Shelf Life:
Black single indicator single range Measurement Range: -5.0/+5.0 amperes, dc single indicator single range Circuit Attachment Method And Quantity: 2 binding post Special Markings: Discharge and charge Style Designator: Round flush mtg Shelf Life: N/a
Black single indicator single range Measurement Range: -5.0/+5.0 amperes, dc single indicator single range Circuit Attachment Method And Quantity: 2 binding post Special Markings: Discharge and charge Style Designator: Round flush mtg Shelf Life: N/a

Fiig:

A310a0