

View Online at <https://aerobasegroup.com/nsn/6625-00-669-6790>

Width:

14.875 inches

Length:

19.500 inches

Ac Voltage Rating:

Between 105.0 volts and 125.0 volts

Frequency Rating:

50.0 hertz

Major Components:

Test set, radar; generator, pulse; coer, test set; case, test set; antenna, pick-up; cable assembly, rf; cable assembly; adapter, cable assembly, power

Accessory Component Quantity:

1 and 1 and 1 and 1 and 1 and 1 and 1 and 1 and 1

Accessory Controlling Agency:

Jcens and jcens and jcens and jcens and jcens and jcens and jcens and jcens and jcens

Accessory Identifying Number:

Ts-739-b/upm-10 type no. And sg-63b/upm-10 type no. And cw-288b/upm-10 type no. And cy-1151b/upm-10 type no. And at-68/up type no. And cg-92d/u type no. And cg-530/u type no. And ug-273/u type no. And cx-337 type no.

Internal Battery Accommodation:

Not included

Material And Location:

Aluminum carrying case

Inclosure Feature:

Multiple item w/carrying case

Test Type For Which Designed:

Transmitter average power, transmitter frequency, receiver frequency, bandwidth, receiver performance, tr recovery time, synthetic target, receiver tuning, receiver sensitivity, transponder simulator

Operating Test Capability:

Signal generator; 8500 to 9600 mc frequency range, m7 to m83 dbm continuously variable, average output modulation cw, fm frequency excursions from zero (cw) to over 40 mc pulsed, 0.55 usec duration fixed, 1.0 usec duration fixed, 2.35 usec duration fixed, 0.2 to 5 usec duration continuously variable power meter, 8500 to 9600 mc frequency range p7 to p30 dbm (average) input range, frequency meter 8500 to 9600 mc frequency range

Phase:

Single

Height:

12.750 inches

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T228-a