NSN 6625-00-684-5206

Arbitrary Scale Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-684-5206

Circuit Current For Which Designed:
Ac
Dielectric Withstanding Voltage In Volts:
3000.0
Overall Length:
2.381 inches
Mounting Hole Diameter:
0.150 inches
Overall Diameter:
3.497 inches
Environmental Protection:
Airtight and dust resistant and fungus resistant and heat resistant and humidity resistant and shock resistant and vibration resistant and
water resistant
Mounting Bolt Circle Diameter:
3.156 inches
Furnished Items And Quantity:
Nut 5; lockwasher 5; seal 1
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Dial Scale Marking Color:
Black and green and red single indicator single range
Accuracy In Percent:
-2.0 to 2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
1.180 inches
Meter Body Diameter Behind Mounting Flange:
2.715 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator single range

white single indicator single range

Pointer Color:

Black single indicator single range

Scale Marking:

Bad; good; bad; good; bad

Mounting Facility Type And Quantity:

3 screw and 3 unthreaded hole

Scale Graduation Type:

Nonlinear single indicator single range

NSN 6625-00-684-5206

Arbitrary Scale Meter - Page 2 of 2



Features Provided:
Zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 threaded stud
Special Features:
Ruggedized
Special Markings:
Red band from 0 mv to 410 mv marked bad green band from 410 mv to 532 mv marked good; red band from 532 mv to 600 mv marked bad;
green band from 600 mv to 727 mv marked good on up per scale red band from 0 mv to 450 mv marked bad; green band from 450 mv to
622 mv marked good; red band from 622 mv to 727 mv marked bad; marked short at right of lower scale; inscribed flying suit current on
center of dail
Material:
Aluminum
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Cadmium
Style Designator:
Round flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A310a0