NSN 6625-00-720-3538

Arbitrary Scale Meter - Page 1 of 2

Circuit Current For Which Designed:

Dc



View Online at https://aerobasegroup.com/nsn/6625-00-720-3538

Overall Length:						
1.838 inches						
Mounting Hole Diameter:						
0.156 inches						
Scale Division Quantity:						
20 single indicator single range						
Overall Diameter:						
3.510 inches						
Mounting Bolt Circle Diameter:						
2.156 inches						
Installation Design:						
Panel						
Mounting Arrangement Style:						
Three hole/stud bolt circle						
Sensitivity Rating:						
200.0 microamperes						
Dial Scale Marking Color:						
Black single indicator single range						
Accuracy In Percent:						
-2.0/+2.0 at full scale single indicator single range						
Meter Depth Behind Mounting Flange:						
Meter Depth Behind Mounting Flange:						
Meter Depth Behind Mounting Flange: 1.438 inches						
1.438 inches						
1.438 inches Meter Body Diameter Behind Mounting Flange:						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type:						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane Background Color:						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane Background Color: White single indicator single range						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity:						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Circuit Attachment Method And Quantity:						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Circuit Attachment Method And Quantity: 2 solder stud						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Circuit Attachment Method And Quantity: 2 solder stud Material:						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Circuit Attachment Method And Quantity: 2 solder stud Material: Plastic						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Circuit Attachment Method And Quantity: 2 solder stud Material: Plastic Nuclear Hardness Critical Feature:						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Circuit Attachment Method And Quantity: 2 solder stud Material: Plastic Nuclear Hardness Critical Feature: Nonhardened						
1.438 inches Meter Body Diameter Behind Mounting Flange: 2.672 inches Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Circuit Attachment Method And Quantity: 2 solder stud Material: Plastic Nuclear Hardness Critical Feature: Nonhardened Style Designator:						

NSN 6625-00-720-3538

Arbitrary Scale Meter - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A310a0