

View Online at <https://aerobasegroup.com/nsn/6625-00-725-1558>

**Overall Length:**

14.000 inches

**Overall Height:**

12.750 inches

**Overall Width:**

6.875 inches

**Current Type:**

Ac

**Frequency Rating:**

Between 50.0 hertz and 400.0 hertz

**Accessory Components And Quantity:**

Adapters 3, box, viewing 1, cable assembly 6, misc hardware and tools

**Voltage Rating:**

115.0 volts

**Beam Quantity:**

1

**Screen Size:**

1-1/2 in. By 3 in.

**Sweep Circuits:**

Included

**Generator Driven Feature:**

Not included

**Sweep Circuit Type:**

Horizontal and vertical

**Sweep Frequency Range:**

+200.000/+200000.000 hertz

**Single Trigger Sweep Duration:**

0.2 microseconds

**Trigger Sweep Voltage Amplitude Rating:**

Between 2.0 volts and 15.0 volts

**Trigger Sweep Polarity Switch:**

Not included

**Trigger Sweep Marker Intervals:**

1000 u sec

**Expanded Sweep:**

Not provided

**Amplifier Deflection Sensitivity Provision:**

Provided

**Vertical Deflection Sensitivity Voltage Rating:**

10.0 millivolts rms per inch

**Horizontal Deflection Sensitivity Voltage Rating:**

1.0 volts any acceptable outside diameter

**Input Intensity Modulation Feature:**

Not provided

**Plate Direct Connection Deflection Sensitivity Provision:**

Not provided

**Frequency Response Rating:**

Provided

**X-axis Frequency Response Rating:**

Between 60.0 hertz and 1500000.0 hertz

**Y-axis Frequency Response Rating:**

Between 20.0 hertz and 500000.0 hertz

**Amplifier Input Impedance Rating Provision:**

Provided

**X-axis Input Impedance Rating:**

390.0 kilohms

**Y-axis Input Impedance Rating:**

1.0 megohms

**Calibrated Screen Scale:**

Not included

**Trace Storage Tube:**

Not included

**Camera Recording Device Accommodation:**

Not provided

**Phase:**

Single

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T320-g