NSN 6625-00-731-6920

Modulation Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-731-6920

Circuit Current For Which Designed:
Dc
Overall Length:
1.484 inches
Mounting Hole Diameter:
0.150 inches
Scale Division Quantity:
100 single indicator single range
Overall Diameter:
3.562 inches
Mounting Bolt Circle Diameter:
3.160 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0 to 2.0 at full scale single indicator single range
Unable To Decode:
Unable to decode or unable to decode
Meter Depth Behind Mounting Flange:
1.234 inches
Meter Body Diameter Behind Mounting Flange:
2.625 inches
Movement Type:
Moving iron vane
Background Color:
White single indicator single range
Pointer Color:
Black single indicator single range
Mounting Facility Type And Quantity:
3 unthreaded hole
Scale Graduation Type:
Linear single indicator single range
Measurement Range:
+0.0 to 1000.0 percent modulation single indicator single range
Features Provided:
Magnetic shield and zero adjuster

NSN 6625-00-731-6920

Modulation Meter - Page 2 of 2

Fiig: A310a0



Circuit Attachment Method And Quantity:
2 threaded stud
Special Features:
Panel for which designed is magnetic and non-magnetic. Circuit construction type is non-electronic.
Nuclear Hardness Critical Feature:
Nonhardened
Style Designator:
Round flush mtg
Fsc Application Data:
Test set, electronic equipment
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No