

View Online at <https://aerobasegroup.com/nsn/6625-00-751-7815>

Overall Length:

24.000 inches

Overall Height:

16.750 inches

Overall Width:

13.000 inches

Current Type:

Ac

Frequency Rating:

Between 50.0 hertz and 60.0 hertz

Accessory Components And Quantity:

Probe 2, red test lead 1, binding post adapter 2, 3 to 2 wire adapter 1 3 conductor power cord 1, graticule 1, green filter 1, instruction manual 2

Voltage Rating:

115.0 volts

Beam Quantity:

1

Mounting Method:

Carrying case

Screen Size:

5 inch diameter

Sweep Circuits:

Included

Generator Driven Feature:

Included

Sweep Circuit Type:

Horizontal and vertical

Amplifier Deflection Sensitivity Provision:

Provided

Vertical Deflection Sensitivity Voltage Rating:

0.1 volts rms per inch

Horizontal Deflection Sensitivity Voltage Rating:

0.1 volts any acceptable outside diameter

Input Intensity Modulation Feature:

Not provided

Plate Direct Connection Deflection Sensitivity Provision:

Provided

Direct Connection Vertical Deflection Sensitivity Voltage Rating:

10.0 volts any acceptable outside diameter

Direct Connection Horizontal Deflection Sensitivity Voltage Rating:

10.0 volts rms per inch

Frequency Response Rating:

Provided

Amplifier Input Impedance Rating Provision:

Provided

Calibrated Screen Scale:

Not included

Trace Storage Tube:

Not included

Camera Recording Device Accommodation:

Not provided

Functional Classification:

Aa-3.2

Functional Description:

Has wide band frequency response and interchangeable plug in x and y amplifiers

Entry Date:

70-4-1

Reference Data And Literature:

Tektronix catalog 20

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T320-g