NSN 6625-00-756-1732

Ammeter - Page 1 of 2

Dc

Overall Length: 1.259 inches

0.500 inches

Overall Diameter:

Scale Division Quantity:

Mounting Stud Length:

20 single indicator single range

Circuit Current For Which Designed:



View Online at https://aerobasegroup.com/nsn/6625-00-756-1732

2.281 inches
Distance Between Mounting Facility Centers:
0.875 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Two hole/stud
Dial Scale Marking Color:
White single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
0.859 inches
Meter Body Diameter Behind Mounting Flange:
2.078 inches
BE CONTRACTOR OF THE CONTRACTO
Movement Type:
Moving coil, permanent magnet
Moving coil, permanent magnet
Moving coil, permanent magnet Background Color:
Moving coil, permanent magnet Background Color: Black single indicator single range
Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color:
Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: Black single indicator single range
Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: Black single indicator single range Mounting Facility Type And Quantity:
Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: Black single indicator single range Mounting Facility Type And Quantity: 2 threaded stud
Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: Black single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Scale Graduation Type:
Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: Black single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Scale Graduation Type: Linear single indicator single range
Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: Black single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Scale Graduation Type: Linear single indicator single range Measurement Range:
Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: Black single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Scale Graduation Type: Linear single indicator single range Measurement Range: -40.0/+40.0 amperes, dc single indicator single range
Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: Black single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Scale Graduation Type: Linear single indicator single range Measurement Range: -40.0/+40.0 amperes, dc single indicator single range Mounting Stud Diameter:
Moving coil, permanent magnet Background Color: Black single indicator single range Pointer Color: Black single indicator single range Mounting Facility Type And Quantity: 2 threaded stud Scale Graduation Type: Linear single indicator single range Measurement Range: -40.0/+40.0 amperes, dc single indicator single range Mounting Stud Diameter: 0.190 inches

NSN 6625-00-756-1732

Ammeter - Page 2 of 2

No Fiig: A310a0



Circuit Attachment Method And Quantity:	
2 solder lug	
Nuclear Hardness Critical Feature:	
Nonhardened	
Style Designator:	
Round flush mtg	
Fsc Application Data:	
Test set, elect. Equip.	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	