

View Online at <https://aerobasegroup.com/nsn/6625-00-772-6019>

Circuit Current For Which Designed:

Ac

Overall Length:

2.625 inches

Mounting Hole Diameter:

0.125 inches

Frequency Rating:

60.0 hertz

Overall Diameter:

2.688 inches

Mounting Bolt Circle Diameter:

2.440 inches

End Application:

An/tps-63 radar system

Indicator Type:

Vibrating reed

Installation Design:

Panel

Register Quantity:

1

Mounting Arrangement Style:

Three hole/stud bolt circle

Frequency Response Range:

+58.000/+62.000 hertz

Resonant Reed Quantity:

5

Meter Depth Behind Mounting Flange:

1.844 inches

Meter Body Diameter Behind Mounting Flange:

2.125 inches

Movement Type:

Vibrating reed

Background Color:

Black single indicator single range

Mounting Facility Type And Quantity:

3 unthreaded hole

Measurement Range:

+58.0/+62.0 hertz single indicator single range

Scale Selection Method:

Terminal

Criticality Code Justification:

Feat

Circuit Attachment Method And Quantity:

2 solder stud

Operating Voltage Rating In Volts:

Between 100.0 ac and 130.0 ac

Special Features:

Weapon system essential; 0.25 watt power consumption.

Style Designator:

Round flush mtg

Supplementary Features:

525 ohms per v res

Specification Data:

09017-301992 manufacturers specification control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0