## NSN 6625-00-784-4336

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-784-4336

## Circuit Current For Which Designed:

Dc

**Dielectric Withstanding Voltage In Volts:** 

1500.0

**Overall Length:** 

1.310 inches

**Scale Division Quantity:** 

26 single indicator single range

**Overall Diameter:** 

Between 1.653 inches and 1.683 inches

**Environmental Protection:** 

Dust resistant and shock resistant and vibration resistant

**Furnished Items And Quantity:** 

Thd mtg ring 1

**Indicator Type:** 

Dial w/pointer

**Installation Design:** 

Panel

**Sensitivity Rating:** 

50.0 millivolts

**Dial Scale Marking Color:** 

Black single indicator single range

**Accuracy In Percent:** 

-3.0/+3.0 at full scale single indicator single range

**Meter Depth Behind Mounting Flange:** 

0.765 inches

**Meter Body Diameter Behind Mounting Flange:** 

Between 1.485 inches and 1.500 inches

**Movement Type:** 

Moving coil, permanent magnet

**Background Color:** 

White single indicator single range

**Pointer Color:** 

Black single indicator single range

**Power Source:** 

External

**Mounting Facility Type And Quantity:** 

1 threaded body

**Scale Graduation Type:** 

Linear single indicator single range

**Measurement Range:** 

+0.0/+100.0 milliamperes, dc single indicator single range

## **NSN 6625-00-784-4336** Ammeter - Page 2 of 2



Features Provided:
Zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solderless lug
Special Features:
Ruggedized
Material:
Aluminum
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Anodize
Style Designator:
Round flush mtg
Fsc Application Data:
Test set, electronic equipment
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
A310a0