## NSN 6625-00-801-2418

Arbitrary Scale Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-801-2418

**Circuit Current For Which Designed:** 

Dc

**Dielectric Withstanding Voltage In Volts:** 

3000.0

**Overall Length:** 

1.540 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:** 

Between 1.302 inches and 1.322 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:** 

Between 1.302 inches and 1.322 inches

**Overall Height:** 

Between 1.740 inches and 1.760 inches

**Overall Width:** 

Between 1.740 inches and 1.760 inches

**Mounting Hole Diameter:** 

Between 0.119 inches and 0.125 inches

**Scale Division Quantity:** 

10 single indicator single range

**Environmental Protection:** 

Cold resistant and heat resistant and shock resistant and vibration resistant

**Furnished Items And Quantity:** 

Nut 4; washer 4

Indicator Type:

Dial w/pointer

Installation Design:

Panel

**Mounting Arrangement Style:** 

Four hole/stud rectangular/square

**Sensitivity Rating:** 

100.0 microamperes

**Dial Scale Marking Color:** 

White single indicator single range

**Accuracy In Percent:** 

-2.0 to 2.0 at full scale single indicator single range

**Unable To Decode:** 

Unable to decode or unable to decode

**Meter Depth Behind Mounting Flange:** 

1.000 inches

**Meter Body Diameter Behind Mounting Flange:** 

Between 1.485 inches and 1.495 inches

**Movement Type:** 

Moving coil, permanent magnet

## NSN 6625-00-801-2418

Arbitrary Scale Meter - Page 2 of 2



Background Color:
Black single indicator single range
Pointer Color:
White single indicator single range
Scale Marking:
0, 5, 10
Mounting Facility Type And Quantity:
4 screw and 4 unthreaded hole
Scale Graduation Type:
Linear single indicator single range
Features Provided:
Zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solder lug
Special Features:
Ruggedized
Material:
Steel
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Enamel
Special Test Features:
Conforms to mil-m-10304, type 13
Style Designator:
Rectangular flush mtg
Supplementary Features:
Inverted meter; scale at bottom
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0