

View Online at <https://aerobasegroup.com/nsn/6625-00-803-6199>

**Circuit Current For Which Designed:**

Ac

**Overall Length:**

2.020 inches

**Mounting Hole Diameter:**

0.147 inches

**Overall Diameter:**

3.500 inches

**Environmental Protection:**

Dustproof

**Mounting Bolt Circle Diameter:**

3.160 inches

**Indicator Type:**

Vibrating reed

**Installation Design:**

Panel

**Register Quantity:**

1

**Mounting Arrangement Style:**

Three hole/stud bolt circle

**Frequency Response Range:**

+395.000 to 405.000 hertz

**Dial Scale Marking Color:**

Black single indicator single range

**Resonant Reed Quantity:**

11

**Meter Depth Behind Mounting Flange:**

1.930 inches

**Meter Body Diameter Behind Mounting Flange:**

2.780 inches

**Movement Type:**

Vibrating reed

**Background Color:**

White single indicator single range

**Power Source:**

External

**Mounting Facility Type And Quantity:**

3 unthreaded hole

**Measurement Range:**

+395.0 to 405.0 hertz single indicator single range

**Scale Selection Method:**

Terminal

**Circuit Attachment Method And Quantity:**

2 threaded stud

**Operating Voltage Rating In Volts:**

Between 100.0 ac and 130.0 ac

**Material:**

Plastic

**Nuclear Hardness Critical Feature:**

Nonhardened

**Surface Treatment:**

Enamel semigloss

**Style Designator:**

Round flush mtg

**Fsc Application Data:**

Test set electronic

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A310a0