

View Online at <https://aerobasegroup.com/nsn/6625-00-809-5109>

**Circuit Current For Which Designed:**

Dc

**Dielectric Withstanding Voltage In Volts:**

2000.0

**Overall Length:**

1.906 inches

**Scale Division Quantity:**

60 single indicator all ranges

**Mounting Stud Length:**

0.500 inches

**Overall Diameter:**

4.531 inches

**Environmental Protection:**

Dust resistant

**Mounting Bolt Circle Diameter:**

2.000 inches

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Six hole/stud bolt circle

**Dial Scale Marking Color:**

Black single indicator all ranges

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator all ranges

**Meter Depth Behind Mounting Flange:**

1.671 inches

**Meter Body Diameter Behind Mounting Flange:**

3.625 inches

**Movement Type:**

Moving coil, permanent magnet

**Background Color:**

White single indicator all ranges

**Pointer Color:**

Black single indicator all ranges

**Power Source:**

External

**Mounting Facility Type And Quantity:**

6 threaded stud

**Scale Graduation Type:**

Linear single indicator all ranges

**Measurement Range:**

-6.0/+6.0 amperes, dc single indicator 4th range

**Mounting Stud Diameter:**

0.138 inches

**Scale Selection Method:**

Terminal

**Features Provided:**

Magnetic shield

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

7 solder stud

**Special Features:**

Ruggedized

**Nuclear Hardness Critical Feature:**

Nonhardened

**Style Designator:**

Round flush mtg

**Fsc Application Data:**

Test set, electronic equipment

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A310a0