

View Online at <https://aerobasegroup.com/nsn/6625-00-809-5109>

Circuit Current For Which Designed:

Dc

Dielectric Withstanding Voltage In Volts:

2000.0

Overall Length:

1.906 inches

Scale Division Quantity:

60 single indicator all ranges

Mounting Stud Length:

0.500 inches

Overall Diameter:

4.531 inches

Environmental Protection:

Dust resistant

Mounting Bolt Circle Diameter:

2.000 inches

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Six hole/stud bolt circle

Dial Scale Marking Color:

Black single indicator all ranges

Accuracy In Percent:

-2.0/+2.0 at full scale single indicator all ranges

Meter Depth Behind Mounting Flange:

1.671 inches

Meter Body Diameter Behind Mounting Flange:

3.625 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator all ranges

Pointer Color:

Black single indicator all ranges

Power Source:

External

Mounting Facility Type And Quantity:

6 threaded stud

Scale Graduation Type:

Linear single indicator all ranges

Measurement Range:

-6.0/+6.0 amperes, dc single indicator 4th range

Mounting Stud Diameter:

0.138 inches

Scale Selection Method:

Terminal

Features Provided:

Magnetic shield

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

7 solder stud

Special Features:

Ruggedized

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Round flush mtg

Fsc Application Data:

Test set, electronic equipment

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0