NSN 6625-00-809-8083

Ammeter - Page 1 of 2

Fsc Application Data: Test set, elect. Equip.

Circuit Current For Which Designed:



View Online at https://aerobasegroup.com/nsn/6625-00-809-8083

Dc
Reliability Indicator:
Not established
Center To Center Distance Between Mounting Facilities Parallel To Length:
4.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.560 inches
Overall Height:
4.220 inches
Overall Width:
4.660 inches
Scale Division Quantity:
40 single indicator single range
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Sensitivity Rating:
41.0 millivolts
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
0.790 inches
Meter Body Diameter Behind Mounting Flange:
2.250 inches
Background Color:
White single indicator single range
Mounting Facility Type And Quantity:
4 threaded stud
Measurement Range:
-200.0/+200.0 microamperes, dc single indicator single range
Mounting Stud Diameter:
0.138 inches
Circuit Attachment Method And Quantity:
2 threaded stud
Style Designator:
Rectangular flush mtg

NSN 6625-00-809-8083

Ammeter - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0