## NSN 6625-00-816-5937

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-816-5937

Observit Occurrent For Millich Destinues I
Circuit Current For Which Designed:
Dc Dielectric With standing Velters In Velter
Dielectric Withstanding Voltage In Volts: 2000.0
Overall Length: 1.750 inches
Scale Division Quantity:
100 single indicator single range
Mounting Stud Length: 0.500 inches
Overall Diameter:
4.580 inches
Environmental Protection:
Dust resistant
Mounting Bolt Circle Diameter: 4.125 inches
Indicator Type:
Dial w/pointer
Installation Design: Panel
Mounting Arrangement Style:
Six hole/stud bolt circle
Sensitivity Rating: 103.0 millivolts
Dial Scale Marking Color: Black single indicator single range
Accuracy in Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange: 1.150 inches
Meter Body Diameter Behind Mounting Flange:
3.570 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator single range Pointer Color:
Black single indicator single range Power Source:
External
Mounting Facility Type And Quantity:

6 threaded stud

## NSN 6625-00-816-5937

Ammeter - Page 2 of 2



Scale Graduation Type:
Linear single indicator single range
Measurement Range:
-100.0/+100.0 milliamperes, dc single indicator single range
Mounting Stud Diameter:
0.138 inches
Features Provided:
Zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solderless lug
Material:
Steel
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Enamel semigloss
Style Designator:
Round flush mtg
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0