NSN 6625-00-821-6778



Oscilloscope - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6625-00-821-6778 **Overall Length:** 24.000 inches **Overall Height:** 15.188 inches **Overall Width:** 16.938 inches **Current Type:** Ac Frequency Rating: Between 50.0 hertz and 60.0 hertz Joint Electronics Type Designation System Item Name: Oscilloscope Joint Electronics Type Designation System Item Type Number: An/usm355v **Beam Quantity: Accuracy Range In Percent:** -2.0/+2.0Screen Size: 5.000 **Sweep Circuits:** Included **Generator Driven Feature:** Included **Sweep Circuit Type:** Horizontal and vertical **Sweep Frequency Range:** +0.000/+12.000 gigahertz **Single Trigger Sweep Duration:** 5.0 seconds **Trigger Sweep Voltage Amplitude Rating:**

Trigger Sweep Polarity Switch: Included **Expanded Sweep:** Provided **Amplifier Deflection Sensitivity Provision:** Provided **Vertical Deflection Sensitivity Voltage Rating:** 50.0 volts rms per centimeter **Horizontal Deflection Sensitivity Voltage Rating:** 1.0 volts cw minor and 10.0 volts peak minor

NSN 6625-00-821-6778

Oscilloscope - Page 2 of 2



Input Intensity Modulation Feature:
Provided
Visual Modulation Sensitivity Voltage Rating:
0.2 volts
Plate Direct Connection Deflection Sensitivity Provision:
Not provided
Frequency Response Rating:
Provided
X-axis Frequency Response Rating:
400.0 kilohertz
Y-axis Frequency Response Rating:
33.0 megahertz
Amplitude Calibrating Voltage Waveform:
Square wave
Calibrating Peak To Peak Amplitude:
100.0 volts
Measurement Range Quantity:
19
Measurement Range Steps:
1mv/cm to 50v/cm
Calibrated Screen Scale:
Included
Phase:
Single
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
Yes - demil/mli
Filg:
T320-g