NSN 6625-00-826-5556

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-826-5556

| 3 |
|---|
| Circuit Current For Which Designed: |
| Ac |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 4.000 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Width: |
| 3.875 inches |
| Overall Height: |
| 4.156 inches |
| Overall Width: |
| 4.656 inches |
| Mounting Hole Diameter: |
| 0.138 inches |
| Scale Division Quantity: |
| 40 single indicator single range |
| Installation Design: |
| Panel |
| Mounting Arrangement Style: |
| Four hole/stud rectangular/square |
| Sensitivity Rating: |
| 100.0 millivolts |
| Dial Scale Marking Color: |
| Black single indicator single range |
| Accuracy In Percent: |
| -2.0/+2.0 at full scale single indicator single range |
| Meter Depth Behind Mounting Flange: |
| 0.953 inches |
| Meter Body Diameter Behind Mounting Flange: |
| 2.734 inches |
| Background Color: |
| White single indicator single range |
| Mounting Facility Type And Quantity: |
| 4 flange |
| Measurement Range: |
| +0.0/+200.0 microamperes, ac single indicator single range |
| Circuit Attachment Method And Quantity: |
| 2 threaded stud |
| Style Designator: |
| Rectangular flush mtg |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 6625-00-826-5556

Ammeter - Page 2 of 2



Demilitarization:

No

Fiig:

A310a0