NSN 6625-00-834-1150

Ammeter - Page 1 of 2

Scale Graduation Type:

Linear single indicator all ranges

Dc

Circuit Current For Which Designed:



View Online at https://aerobasegroup.com/nsn/6625-00-834-1150

Overall Length:
2.191 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
5.375 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.000 inches
Overall Height:
4.531 inches
Overall Width:
6.031 inches
Scale Division Quantity:
60 single indicator 1st range
Mounting Stud Length:
0.380 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Sensitivity Rating:
250.0 millivolts
Dial Scale Marking Color:
Black all indicators single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator all ranges
Meter Depth Behind Mounting Flange:
1.580 inches
Meter Body Diameter Behind Mounting Flange:
2.688 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White all indicators single range
Pointer Color:
Black single indicator all ranges
Mounting Facility Type And Quantity:
4 threaded stud

NSN 6625-00-834-1150 Ammeter - Page 2 of 2



Measurement Range:
-3.0/+3.0 milliamperes, dc single indicator 1st range
Mounting Stud Diameter:
0.138 inches
Scale Selection Method:
Switch
Features Provided:
Self-illumination facility and zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solder lug and 2 threaded stud
Special Features:
Ruggedized
Special Markings:
Neg sign and pos sign at respective sides of scale
Nuclear Hardness Critical Feature:
Nonhardened
Style Designator:
Rectangular flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0