NSN 6625-00-836-2790

Voltmeter - Page 1 of 2

Circuit Current For Which Designed:



View Online at https://aerobasegroup.com/nsn/6625-00-836-2790

Dc
Overall Length:
2.235 inches
Mounting Hole Diameter:
0.250 inches
Overall Diameter:
3.500 inches
Mounting Bolt Circle Diameter:
3.120 inches
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
1.625 inches
Meter Body Diameter Behind Mounting Flange:
2.760 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator single range
Pointer Color:
Black single indicator single range
Mounting Facility Type And Quantity:
3 unthreaded hole
3 unthreaded hole Scale Graduation Type:
Scale Graduation Type:
Scale Graduation Type: Nonlinear single indicator single range
Scale Graduation Type: Nonlinear single indicator single range Measurement Range:
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0/+18.0 volts, dc single indicator single range
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0/+18.0 volts, dc single indicator single range Scale Selection Method:
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0/+18.0 volts, dc single indicator single range Scale Selection Method: Switch
Scale Graduation Type: Nonlinear single indicator single range Measurement Range: +0.0/+18.0 volts, dc single indicator single range Scale Selection Method: Switch Features Provided:

NSN 6625-00-836-2790

Voltmeter - Page 2 of 2



Circuit Attachment Method And Quantity:	
2 threaded stud	
Nuclear Hardness Critical Feature:	
Nonhardened	
Style Designator:	
Round flush mtg	
Fsc Application Data:	
Test set electronic	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	

No Fiig: A310a0