NSN 6625-00-842-6940

Voltmeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-842-6940

Circuit Current For Which Designed:
Ac
Overall Length:
2.800 inches
Mounting Hole Diameter:
0.125 inches
Overall Diameter:
2.695 inches
Mounting Bolt Circle Diameter:
2.440 inches
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Frequency Response Range:
+25.000/+125.000 hertz
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator all ranges
Meter Depth Behind Mounting Flange:
1.750 inches
Meter Body Diameter Behind Mounting Flange:
2.210 inches
2.210 inches Movement Type:
Movement Type:
Movement Type: Moving iron vane
Movement Type: Moving iron vane Background Color:
Movement Type: Moving iron vane Background Color: White single indicator single range
Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity:
Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole
Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range:
Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+5.0 volts, ac single indicator single range
Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+5.0 volts, ac single indicator single range Features Provided:
Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+5.0 volts, ac single indicator single range Features Provided: Magnetic shield
Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+5.0 volts, ac single indicator single range Features Provided: Magnetic shield Circuit Attachment Method And Quantity:
Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+5.0 volts, ac single indicator single range Features Provided: Magnetic shield Circuit Attachment Method And Quantity: 2 threaded stud
Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+5.0 volts, ac single indicator single range Features Provided: Magnetic shield Circuit Attachment Method And Quantity: 2 threaded stud Style Designator:
Movement Type: Moving iron vane Background Color: White single indicator single range Mounting Facility Type And Quantity: 3 unthreaded hole Measurement Range: +0.0/+5.0 volts, ac single indicator single range Features Provided: Magnetic shield Circuit Attachment Method And Quantity: 2 threaded stud Style Designator: Round semi-flush mtg

--

NSN 6625-00-842-6940

Voltmeter - Page 2 of 2



em			

No

Fiig:

A310a0