

View Online at <https://aerobasegroup.com/nsn/6625-00-856-4379>

**Circuit Current For Which Designed:**

Dc

**Overall Length:**

1.218 inches

**Overall Height:**

1.750 inches

**Overall Width:**

1.750 inches

**Scale Division Quantity:**

21 single indicator single range

**Furnished Items And Quantity:**

Thd mtg ring 1

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Sensitivity Rating:**

100.0 millivolts

**Dial Scale Marking Color:**

Black single indicator single range

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator single range

**Meter Depth Behind Mounting Flange:**

0.720 inches

**Meter Body Diameter Behind Mounting Flange:**

1.406 inches

**Movement Type:**

Moving coil, permanent magnet

**Background Color:**

White single indicator single range

**Pointer Color:**

Black single indicator single range

**Power Source:**

External

**Mounting Facility Type And Quantity:**

1 flange and 1 threaded body

**Scale Graduation Type:**

Linear single indicator single range

**Measurement Range:**

-10.0/+10.0 milliamperes, dc single indicator single range

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

2 threaded stud

**Special Features:**

Meter sealed, linear scale

**Special Markings:**

Caption milliamperes direct current @located center of dial below div scale and rh terminal marked pos and lh terminal marked neg

**Material:**

Plastic

**Nuclear Hardness Critical Feature:**

Nonhardened

**Special Test Features:**

Shock iaw mil-s-901b; vibration iaw mil-std-167

**Style Designator:**

Fan shape flush mtg

**Supplementary Features:**

Res 9, 900 porm 1 pct at 25 degrees centigrade

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A310a0