NSN 6625-00-857-7232

Instrument Shunt - Page 1 of 1

Fiig: A33500



| view Online at https://aerobasegroup.com/nsn/ob25-00-657-7232 |
|--|
| Mounting Provision Quantity: |
| 2 |
| Overall Length: |
| 5.000 inches |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 2.000 inches |
| Overall Height: |
| 2.125 inches |
| Overall Width: |
| 2.500 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.205 inches |
| Usage Design: |
| External |
| Element Material: |
| Copper-manganese-nickel alloy |
| Mounting Method: |
| Unthreaded hole |
| Terminal Location: |
| ≣nd |
| Voltage Drop In Millivolts: |
| 50.0 |
| Current Rating And Type: |
| 1000.0 amperes dc |
| Criticality Code Justification: |
| -eat |
| Special Features: |
| Weapon system essential |
| Test Data Document: |
| 58536-a-a-55524 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Terminal Type And Quantity: |
| 4 screw |
| Specification Data: |
| 58535-a-a-55524/3 government specification |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |