

View Online at <https://aerobasegroup.com/nsn/6625-00-863-0698>

Overall Length:

19.312 inches

Overall Height:

13.250 inches

Overall Width:

19.500 inches

Current Type:

Ac and dc and dc and dc

Direct Current Rating In Amps:

0.550 and 0.050 and 0.025

Frequency Rating:

60.0 hertz

Joint Electronics Type Designation System Item Name:

Oscilloscope

Joint Electronics Type Designation System Item Type Number:

Os-126/mpa-12

Voltage Rating:

117.0 volts and 300.0 volts and 150.0 volts and -210.0 volts

Screen Size:

5in dia

Sweep Circuits:

Included

Sweep Frequency Range:

+0.025/+10.000 kilohertz

Single Trigger Sweep Duration:

2.0 milliseconds

Trigger Sweep Voltage Amplitude Rating:

15.0 volts

Trigger Sweep Polarity Switch:

Included

Trigger Sweep Marker Intervals:

1, 5, 25, 100usec

Amplifier Deflection Sensitivity Provision:

Provided

Vertical Deflection Sensitivity Voltage Rating:

0.3 volts rms per inch

Horizontal Deflection Sensitivity Voltage Rating:

0.4 volts any acceptable outside diameter

Plate Direct Connection Deflection Sensitivity Provision:

Provided

Direct Connection Vertical Deflection Sensitivity Voltage Rating:

30.0 volts any acceptable outside diameter

Direct Connection Horizontal Deflection Sensitivity Voltage Rating:

40.0 volts rms per inch

Frequency Response Rating:

Provided

X-axis Frequency Response Rating:

Between 0.0 kilohertz and 200.0 kilohertz

Y-axis Frequency Response Rating:

Between 30.0 hertz and 9000000.0 hertz

Amplifier Input Impedance Rating Provision:

Provided

X-axis Input Impedance Rating:

0.1 megohms

Y-axis Input Impedance Rating:

2.0 megohms

Z-axis Input Impedance Rating:

0.1 megohms

Phase:

Single

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T320-g