NSN 6625-00-880-3943

Voltmeter - Page 1 of 2

Circuit Current For Which Designed:

Mounting Facility Type And Quantity:

4 screw and 4 unthreaded hole



View Online at https://aerobasegroup.com/nsn/6625-00-880-3943

Ac
Overall Length:
7.218 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
3.375 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
3.375 inches
Overall Height:
4.422 inches
Overall Width:
4.422 inches
Mounting Hole Diameter:
0.250 inches
Scale Division Quantity:
60 single indicator single range
Environmental Protection:
Shock resistant and vibration resistant
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Four hole/stud rectangular/square
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
3.750 inches
Meter Body Diameter Behind Mounting Flange:
3.960 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator single range
Pointer Color:
Black single indicator single range
Power Source:
External

NSN 6625-00-880-3943

Voltmeter - Page 2 of 2



Scale Graduation Type: Linear single indicator single range Measurement Range: +0.0/+600.0 volts, ac single indicator single range **Features Provided:** Zero adjuster **Movement Suspension Method:** Jewel pivot base **Circuit Attachment Method And Quantity:** 2 threaded stud **Special Features:** Ruggedized **Nuclear Hardness Critical Feature:** Nonhardened **Style Designator:** Rectangular flush mtg **Fsc Application Data:** Test set, elect. Equip. Shelf Life: N/a **Unit Of Measure:** Demilitarization: No

Fiig: A310a0