## NSN 6625-00-880-4972

Signal Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-880-4972

| Mounting Type: Rack Overall Length: 19.000 inches |
|---|
| Overall Length: 19.000 inches                     |
| 19.000 inches                                     |
|   |
| Overall Heights                                   |
| Overall Height:                                   |
| 14.000 inches                                     |
| Overall Width:                                    |
| 12.125 inches                                     |
| Current Type:                                     |
| Ac  |
| Frequency Rating:                                 |
| Between 0.0 kilohertz and 1.0 kilohertz           |
| Case Material:                                    |
| Aluminum  |
| Case Surface Treatment:                           |
| Enameled  |
| Frequency Range Rating:                           |
| +0.800/+2.100 gigahertz                           |
| Accessory Component Quantity:                     |
| 1   |
| Accessory Controlling Agency:                     |
| Hewlett packard co                                |
| Accessory Identifying Number:                     |
| 11500a part no.                                   |
| Internal Battery Accommodation:                   |
| Not included                                      |
| Output Impedance Rating:                          |
| 50.0 ohms   |
| Voltage Rating:                                   |
| Between 115.0 volts and 230.0 volts               |
| Frequency Band Quantity:                          |
| 1   |
| Modulation Type:                                  |
| Fm and pulse                                      |
| Accessory Component Name:                         |
| Radio frequency cable                             |
| Calibration Accuracy Rating:                      |
| Porm 1 percent                                    |
| Crystal Controlled Feature:                       |
| Not provided                                      |
| Maximum Signal Output:                            |

0.5 mw maximum output

## NSN 6625-00-880-4972

Signal Generator - Page 2 of 2



## **Signal Output Constancy:** Porm 1 db maximum variation throughout freq range **Modulator Location:** External **Modulated Frequency Rating:** Between 0.0 kilohertz and 1.0 kilohertz **Pulse Repetition Frequency Rating:** Between 0.0 kilohertz and 4.0 kilohertz **Modulation Degree:** Between 1.0 usec pulse and 2500.0 usec pulse Phase: Single Shelf Life: N/a **Unit Of Measure:** Demilitarization:

No **Fiig:** T320-j