NSN 6625-00-892-5251

Oscilloscope - Page 1 of 2

50.0 hertz and 60.0 hertz and 400.0 hertz Accessory Components And Quantity:

Current Type:

Frequency Rating:

Voltage Rating:

Ac



View Online at https://aerobasegroup.com/nsn/6625-00-892-5251

Cable assembly 1; cover storage 1; lead ground 1, probe voltage divider 2; tip probe set 1

115.0 pounds per hour wet and 230.0 pounds per hour wet
Beam Quantity:
1
Graduation Interval:
Any acceptable
Mounting Method:
Cabinet
Accuracy Range In Percent:
-3.0/+3.0
Screen Size:
5.000 in.
Sweep Circuits:
Not included
Expanded Sweep:
Provided
Amplifier Deflection Sensitivity Provision:
Not provided
Input Intensity Modulation Feature:
Not provided
Plate Direct Connection Deflection Sensitivity Provision:
Not provided
Frequency Response Rating:
Provided
X-axis Frequency Response Rating:
Between 0.0 megahertz and 40.0 megahertz
Y-axis Frequency Response Rating:
Between 0.0 megahertz and 5.0 megahertz
Amplifier Input Impedance Rating Provision:
Provided
X-axis Input Impedance Rating:
1.0 megohms
Y-axis Input Impedance Rating:
1.0 megohms
Amplitude Calibrating Voltage Waveform:
Square wave

NSN 6625-00-892-5251

Oscilloscope - Page 2 of 2



Calibrated Screen Scale:
Included
Trace Storage Tube:
Not included
Camera Recording Device Accommodation:
Not provided
Phase:
Single
Specification Or Standard:
1 type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
T320-g