

NSN 6625-00-905-9096 Pulse Generator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6625-00-905-9096 **Overall Length:** 20.375 inches **Overall Height:** 18.438 inches **Overall Width:** 20.375 inches **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** Not rated **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** Anupm55b80058 **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Encased **Operating Control Method:** Manual Installation Design: Portable **Control Type:** Local Frequency Per Channel:

20.0 kilohertz operating channel err-100

Attenuation In Decibels:

Not rated

Average Power Rating Per Channel:

Not rated

Signal Voltage Rating Per Channel:

Not rated

Overall Gain:

Not rated

Impedance Rating Per Channel:

600.000 ohms 1st output channel err-100

Pulse Duration Per Channel:

400.000 nanoseconds 2nd output channel err-100

NSN 6625-00-905-9096Pulse Generator - Page 2 of 2



Polarity Per Channel:
Negative or positive polarity all outputchannels
Pulse Repetition Rate Per Channel:
20.0 pulses to 20.0 kilopulse repetition rate all channels
Pulse Peak Amplitude Per Channel:
45.000 volts 2nd output channel err-100
Pulse Modulation Type Per Channel:
Amplitude 3rd output channel err-100
Calibrated Tolerance In Percent:
-4.0/+4.0
Output Wave Shape:
Cosine and square
Maximum Continuous Operating Time In Hours:
Not rated
Operating Ac Frequency In Hertz:
50.0 single voltage
Calibration Function:
Pulse repetition
External Ac Operating Voltage In Volts:
115.0 single voltage
Phase:
Single
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A32200