NSN 6625-00-906-6369

Arbitrary Scale Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-906-6369

Circuit Current For Which Designed:
Ac
Dielectric Withstanding Voltage In Volts:
1500.0
Overall Length:
I.990 inches
Mounting Hole Diameter:
0.154 inches
Overall Diameter:
3.500 inches
Environmental Protection:
Airtight and dust resistant and fungus resistant and heat resistant and humidity resistant and shock resistant and vibration resistant and
water resistant
Mounting Bolt Circle Diameter:
3.160 inches
Furnished Items And Quantity:
Nut 5; lockwasher 5; seal 1
ndicator Type:
Dial w/pointer
nstallation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Sensitivity Rating:
200.0 microamperes
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
1.060 inches
Meter Body Diameter Behind Mounting Flange:
2.680 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator single range
Pointer Color:
Black single indicator single range

X; x; x; x

Scale Marking:

Mounting Facility Type And Quantity:

3 screw and 3 unthreaded hole

NSN 6625-00-906-6369

Arbitrary Scale Meter - Page 2 of 2



Scale Graduation Type:
Nonlinear single indicator single range
Features Provided:
Electrostatic shield and zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 threaded stud
Operating Voltage Rating In Volts:
Between 115.0 ac and 125.0 ac
Special Features:
Ruggedized
Special Markings:
With the legend dcp trim
Material:
Steel
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Paint
Special Test Features:
Complies with mil-m-10304
Style Designator:
Round flush mtg
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0