

View Online at <https://aerobasegroup.com/nsn/6625-00-910-6912>

Circuit Current For Which Designed:

Ac

Overall Length:

2.269 inches

Mounting Hole Diameter:

0.150 inches

Scale Division Quantity:

20 single indicator 4th range

Overall Diameter:

3.500 inches

Mounting Bolt Circle Diameter:

3.160 inches

Furnished Items And Quantity:

Nut 4; washer 4

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Three hole/stud bolt circle

Sensitivity Rating:

50.0 microamperes

Dial Scale Marking Color:

Black single indicator all ranges

Accuracy In Percent:

-3.0/+3.0 at full scale single indicator all ranges

Meter Depth Behind Mounting Flange:

1.156 inches

Meter Body Diameter Behind Mounting Flange:

2.750 inches

Background Color:

White single indicator all ranges

Pointer Color:

Black single indicator all ranges

Power Source:

External

Mounting Facility Type And Quantity:

3 unthreaded hole

Scale Graduation Type:

Nonlinear single indicator 2nd range

Measurement Range:

+47.0/+57.0 decibels above or below one milliwatt single indicator 2nd range

Scale Selection Method:

Terminal

Circuit Attachment Method And Quantity:

2 threaded stud

Special Markings:

P-incident top of scale; p-reflected bottom of scale; avg watts

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Round flush mtg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0