NSN 6625-00-929-0822

Arbitrary Scale Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-929-0822

New Online at https://aerobasegroup.com/nsi//023-00-929-0022
Circuit Current For Which Designed:
Dc
Dielectric Withstanding Voltage In Volts:
3000.0
Overall Length:
2.480 inches
Mounting Hole Diameter:
Between 0.120 inches and 0.130 inches
Scale Division Quantity:
50 single indicator single range
Overall Diameter:
2.695 inches
Environmental Protection:
Cold resistant and heat resistant and shock resistant and submersible and vibration resistant and watertight
Mounting Bolt Circle Diameter:
2.440 inches
Furnished Items And Quantity:
Nut 3; washer 3; gasket 1
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Sensitivity Rating:
25.0 microamperes
Dial Scale Marking Color:
Green single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Unable To Decode:
Unable to decode or unable to decode
Meter Depth Behind Mounting Flange:
1.405 inches
Meter Body Diameter Behind Mounting Flange:
2.210 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
Black single indicator single range
Pointer Color:
Green single indicator single range

NSN 6625-00-929-0822

Arbitrary Scale Meter - Page 2 of 2



Scale Marking:	
25; 20; 15; 10; 5	; 0; 5; 10; 15; 20; 25; colored bands
Mounting Facility	Type And Quantity:
3 screw and 3 unth	nreaded hole
Scale Graduation	Туре:
Linear single indica	ator single range
Features Provided	d:
Luminous scale ma	arking and magnetic shield and zero adjuster
Movement Suspe	nsion Method:
Jewel pivot base	
Circuit Attachmer	nt Method And Quantity:
2 solder lug and 2	threaded stud
Special Features:	
Ruggedized	
Special Markings:	:
Left of zero: red ba	and from 0 to 17; yellow from 17 to 23; red from 23 to 25; right of zero: blue from 0 to 17; yellow from 17 to 23; red
from 23 to 25	
Material:	
Stainless steel	
Nuclear Hardness	s Critical Feature:
Nonhardened	
Surface Treatmen	nt:
Enamel semigloss	
Special Test Feat	ures:
Conforms to mil-m-	-10304/5
Style Designator:	
Round flush mtg	
Supplementary Fe	eatures:
1175 ohms resista	nce
Fsc Application D	Data:
Test set, elect. Equ	Jip.
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
-	