# NSN 6625-00-931-3210

Signal Generator - Page 1 of 2





Mounting Type: Case Overall Length:

16.750 inches

# **Overall Height:**

8.719 inches

**Overall Width:** 

18.375 inches

# Current Type:

Ac

#### Frequency Rating:

Between 50.0 hertz and 60.0 hertz

#### **Case Material:**

Aluminum

#### Case Surface Treatment:

Enameled

### Frequency Range Rating:

+8.000/+12.400 gigahertz

## Internal Battery Accommodation:

Not included

### Output Impedance Rating:

50.0 ohms

### Voltage Rating:

Between 115.0 volts and 230.0 volts

## Frequency Band Quantity:

1

### Modulation Type:

Am and fm

**Calibration Accuracy Rating:** 

Porm 1 pct

### **Crystal Controlled Feature:**

Not provided

### Maximum Signal Output:

20.0 mw

### Signal Output Constancy:

Porm 0.2 db maximum variation throughout freq range

### **Modulator Location:**

Any acceptable

### **Modulated Frequency Rating:**

Between 0.0 hertz and 350.0 kilohertz

### Modulation Degree:

100.0 percent

# NSN 6625-00-931-3210

Signal Generator - Page 2 of 2

Phase:

Single

Shelf Life:

N/a

Unit Of Measure:

---

# Demilitarization:

No

Fiig:

Т320-ј

