

View Online at <https://aerobasegroup.com/nsn/6625-00-933-1254>

**Circuit Current For Which Designed:**

Ac

**Overall Length:**

3.156 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.841 inches

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.841 inches

**Overall Height:**

2.370 inches

**Overall Width:**

2.365 inches

**Mounting Hole Diameter:**

0.164 inches

**Scale Division Quantity:**

30 single indicator 1st range 10 single indicator 2nd range

**Furnished Items And Quantity:**

Nut 2; washer 2

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Panel

**Mounting Arrangement Style:**

Four hole/stud rectangular/square

**Sensitivity Rating:**

50.0 millivolts

**Dial Scale Marking Color:**

White single indicator all ranges

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator all ranges

**Meter Depth Behind Mounting Flange:**

2.016 inches

**Meter Body Diameter Behind Mounting Flange:**

2.157 inches

**Movement Type:**

Moving iron vane

**Background Color:**

Black single indicator all ranges

**Pointer Color:**

White single indicator all ranges

**Scale Marking:**

Load; 0; 5; 1.0; volts; 0; 10; 20; 30; push for volts

**Mounting Facility Type And Quantity:**

4 screw and 4 unthreaded hole

**Scale Graduation Type:**

Linear single indicator all ranges

**Features Provided:**

External shunting and zero adjuster

**Movement Suspension Method:**

Taut band

**Circuit Attachment Method And Quantity:**

2 threaded stud

**Material:**

Plastic

**Nuclear Hardness Critical Feature:**

Nonhardened

**Surface Treatment:**

Paint

**Style Designator:**

Rectangular flush mtg

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A310a0