

View Online at <https://aerobasegroup.com/nsn/6625-00-933-8598>

Circuit Current For Which Designed:

Ac

Overall Length:

3.156 inches

Mounting Hole Diameter:

0.125 inches

Overall Diameter:

Between 2.684 inches and 2.686 inches

Environmental Protection:

Hermetic

Mounting Bolt Circle Diameter:

2.440 inches

Indicator Type:

Vibrating reed

Installation Design:

Panel

Register Quantity:

1

Mounting Arrangement Style:

Three hole/stud bolt circle

Frequency Response Range:

+57.500/+62.500 hertz

Dial Scale Marking Color:

Black single indicator single range

Resonant Reed Quantity:

11

Accuracy In Percent:

-0.3/+0.3 at full scale single indicator single range

Meter Depth Behind Mounting Flange:

2.375 inches

Meter Body Diameter Behind Mounting Flange:

2.210 inches

Movement Type:

Vibrating reed

Background Color:

White single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

3 unthreaded hole

Measurement Range:

+57.5/+62.5 hertz single indicator single range

Scale Selection Method:

Terminal

Circuit Attachment Method And Quantity:

2 screw and 2 solder lug

Special Features:

Ruggedized

Material:

Aluminum alloy

Nuclear Hardness Critical Feature:

Nonhardened

Surface Treatment:

Anodize

Style Designator:

Round flush mtg

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0