## NSN 6625-00-942-7216

Ammeter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-942-7216

Mounting Hole Diameter:  0.156 inches  Scale Division Quantity:  40 single indicator single range  Overall Diameter:  3.500 inches  Mounting Bolt Circle Diameter:  3.156 inches  Installation Design:  Panel  Mounting Arrangement Style:  Three hole/stud bolt circle  Sensitivity Rating:  7500.0 ohms  Dial Scale Marking Color:
0.156 inches  Scale Division Quantity:  40 single indicator single range  Overall Diameter:  3.500 inches  Mounting Bolt Circle Diameter:  3.156 inches  Installation Design:  Panel  Mounting Arrangement Style:  Three hole/stud bolt circle  Sensitivity Rating:  7500.0 ohms  Dial Scale Marking Color:
Scale Division Quantity:  40 single indicator single range  Overall Diameter:  3.500 inches  Mounting Bolt Circle Diameter:  3.156 inches  Installation Design:  Panel  Mounting Arrangement Style:  Three hole/stud bolt circle  Sensitivity Rating:  7500.0 ohms  Dial Scale Marking Color:
40 single indicator single range  Overall Diameter: 3.500 inches  Mounting Bolt Circle Diameter: 3.156 inches Installation Design: Panel  Mounting Arrangement Style: Three hole/stud bolt circle  Sensitivity Rating: 7500.0 ohms  Dial Scale Marking Color:
Overall Diameter: 3.500 inches  Mounting Bolt Circle Diameter: 3.156 inches Installation Design: Panel Mounting Arrangement Style: Three hole/stud bolt circle Sensitivity Rating: 7500.0 ohms Dial Scale Marking Color:
3.500 inches  Mounting Bolt Circle Diameter: 3.156 inches Installation Design: Panel  Mounting Arrangement Style: Three hole/stud bolt circle Sensitivity Rating: 7500.0 ohms Dial Scale Marking Color:
Mounting Bolt Circle Diameter: 3.156 inches Installation Design: Panel Mounting Arrangement Style: Three hole/stud bolt circle Sensitivity Rating: 7500.0 ohms Dial Scale Marking Color:
3.156 inches Installation Design: Panel Mounting Arrangement Style: Three hole/stud bolt circle Sensitivity Rating: 7500.0 ohms Dial Scale Marking Color:
Installation Design: Panel  Mounting Arrangement Style: Three hole/stud bolt circle  Sensitivity Rating: 7500.0 ohms  Dial Scale Marking Color:
Panel  Mounting Arrangement Style: Three hole/stud bolt circle  Sensitivity Rating: 7500.0 ohms  Dial Scale Marking Color:
Mounting Arrangement Style: Three hole/stud bolt circle Sensitivity Rating: 7500.0 ohms Dial Scale Marking Color:
Three hole/stud bolt circle  Sensitivity Rating: 7500.0 ohms  Dial Scale Marking Color:
Sensitivity Rating: 7500.0 ohms Dial Scale Marking Color:
7500.0 ohms  Dial Scale Marking Color:
Dial Scale Marking Color:
Black single indicator single range
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator single range
Meter Depth Behind Mounting Flange:
0.938 inches
Meter Body Diameter Behind Mounting Flange:
2.750 inches
Movement Type:
Moving coil, permanent magnet
Background Color:
White single indicator single range
Mounting Facility Type And Quantity:
3 unthreaded hole
Measurement Range:
-10.0/+10.0 microamperes, dc single indicator single range
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 threaded stud
Material:
Plastic
Style Designator:
Round flush mtg
Shelf Life:

N/a

## NSN 6625-00-942-7216

Ammeter - Page 2 of 2



	Of			

--

Demilitarization:

Yes - demil/mli

Fiig:

A310a0