

View Online at <https://aerobasegroup.com/nsn/6625-00-946-1486>

**Circuit Current For Which Designed:**

Ac

**Overall Length:**

19.000 inches

**Overall Height:**

10.469 inches

**Overall Width:**

13.875 inches

**Scale Division Quantity:**

1 single indicator single range

**Frequency Rating:**

Between 50.0 hertz and 60.0 hertz

**Furnished Items And Quantity:**

Cable assembly pn 340a-16a

**Indicator Type:**

Dial w/pointer

**Installation Design:**

Rack

**Frequency Response Range:**

+30.000 to 60.000 megahertz

**Dial Scale Marking Color:**

Black single indicator single range

**Accuracy In Percent:**

-1.0 to 1.0 at full scale single indicator single range

**Background Color:**

White single indicator single range

**Pointer Color:**

Black single indicator single range

**Power Source:**

External

**Scale Graduation Type:**

Linear single indicator single range

**Measurement Range:**

+0.0 to 30.0 decibels single indicator single range

**Scale Selection Method:**

Switch

**Circuit Attachment Method And Quantity:**

2 connector, receptacle

**Operating Voltage Rating In Volts:**

115.0 ac and 230.0 ac

**Phase:**

Single

**Special Features:**

Input impedance: 50 ohms ; bandwidth: 1.0 mhz min.; agc output: 0 to minus 6v from rear binding posts

**Functional Description:**

Measures noise figure in microwave or radar receivers, rf and if amplifiers; compares unknown noise sources to known noise levels

**Reference Data And Literature:**

Hp 1972 catalog

**Style Designator:**

D1 rectangular or square

**Supplementary Features:**

Opt r: rack

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A310a0