NSN 6625-00-953-7832

Oscilloscope - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-953-7832

Overall Length:
21.500 inches
Overall Height:
13.500 inches
Overall Width:
9.750 inches
Current Type:
Ac
Frequency Rating:
Between 50.0 hertz and 800.0 hertz
Voltage Rating:
105.0 volts and 250.0 volts
Beam Quantity:
1
Graduation Interval:
Graduated in v/cm on both axes
Screen Size:
5 in.
Sweep Circuits:
Included
Generator Driven Feature:
Included
Sweep Circuit Type:
Horizontal and vertical
Sweep Frequency Range:
+0.833/+1.000 megahertz
Trigger Sweep Polarity Switch:
Included
Trigger Sweep Marker Intervals:
1 usec
Expanded Sweep:
Provided
Amplifier Deflection Sensitivity Provision:
Not provided
Input Intensity Modulation Feature:
Not provided
Plate Direct Connection Deflection Sensitivity Provision:
Not provided
Frequency Response Rating:
Provided
Amplifier Input Impedance Rating Provision:
Provided

NSN 6625-00-953-7832

Oscilloscope - Page 2 of 2



X-axis Input Impedance Rating:
1.0 megohms
Y-axis Input Impedance Rating:
1.0 megohms
Amplitude Calibrating Voltage Waveform:
Square wave
Calibrating Peak To Peak Amplitude:
Between 0.5 millivolts and 500.0 millivolts
Measurement Range Quantity:
2
Measurement Range Steps:
1 mv/cm to 50 v/cm
Calibrated Screen Scale:
Included
Trace Storage Tube:
Not included
Camera Recording Device Accommodation:
Provided
Phase:
Single
Fsc Application Data:
Oscilloscope, except specially designed
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T320-g