

View Online at <https://aerobasegroup.com/nsn/6625-00-957-8530>

Circuit Current For Which Designed:

Ac

Overall Length:

2.300 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

3.600 inches

Center To Center Distance Between Mounting Facilities Parallel To Width:

3.296 inches

Overall Height:

3.937 inches

Overall Width:

4.250 inches

Mounting Hole Diameter:

0.150 inches

Scale Division Quantity:

50 single indicator 2nd range

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Four hole/stud rectangular/square

Dial Scale Marking Color:

Black single indicator all ranges

Accuracy In Percent:

-2.0/+2.0 at full scale single indicator all ranges

Meter Depth Behind Mounting Flange:

1.700 inches

Meter Body Diameter Behind Mounting Flange:

3.250 inches

Movement Type:

Moving iron vane

Background Color:

White single indicator all ranges

Pointer Color:

Black single indicator all ranges

Mounting Facility Type And Quantity:

4 unthreaded hole

Scale Graduation Type:

Nonlinear single indicator 1st range

Measurement Range:

-12.0/+2.0 decibels single indicator 1st range

Scale Selection Method:

Terminal

Features Provided:

Zero adjuster

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

2 threaded stud

Special Markings:

1.0 mw 600.0 ohms

Material:

Plastic

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A310a0