## NSN 6625-00-960-8122

Multiple Scale Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-960-8122

View Online at https://aerobasegroup.com/nsn/6625-00-960-8122
Circuit Current For Which Designed:
Dc
Overall Length:
2.560 inches
Mounting Hole Diameter:
0.138 inches
Scale Division Quantity:
60 single indicator 3rd range
Overall Diameter:
3.500 inches
Mounting Bolt Circle Diameter:
3.160 inches
Furnished Items And Quantity:
Nut 5; washer 5
Indicator Type:
Dial w/pointer
Installation Design:
Panel
Mounting Arrangement Style:
Three hole/stud bolt circle
Sensitivity Rating:
200.0 microamperes
Dial Scale Marking Color:
Black single indicator all ranges and red single indicator all ranges
Accuracy In Percent:
-2.0/+2.0 at full scale single indicator all ranges
Meter Depth Behind Mounting Flange:
1.380 inches
Meter Body Diameter Behind Mounting Flange:
2.760 inches
Background Color:
White single indicator all ranges
Pointer Color:
Black single indicator all ranges
Power Source:
External
Mounting Facility Type And Quantity:
3 screw and 3 unthreaded hole
Scale Graduation Type:
Nonlinear single indicator 2nd range
Measurement Range:

+380.0/+420.0 hertz single indicator 1st range

## **NSN 6625-00-960-8122**Multiple Scale Meter - Page 2 of 2



Scale Selection Method:
Terminal
Features Provided:
Zero adjuster
Movement Suspension Method:
Jewel pivot base
Circuit Attachment Method And Quantity:
2 solder lug and 2 threaded stud
Special Markings:
Sealed do not open ruggedized on back of meter
Material:
Steel
Nuclear Hardness Critical Feature:
Nonhardened
Surface Treatment:
Cadmium and chromate
Style Designator:
Round flush mtg
Supplementary Features:
Int res 550 ohms
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A310a0