NSN 6625-00-965-1501

Signal Generator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-00-965-1501 **Mounting Type:** Bench **Overall Length:** 20.750 inches **Overall Height:** 20.375 inches **Overall Width:** 17.000 inches **Current Type:** Ac Frequency Rating: Between 60.0 hertz and 400.0 hertz **Case Material:** Aluminum **Case Surface Treatment:** Enameled **Frequency Range Rating:** +3800.000/+7500.000 megahertz **Accessory Component Quantity:** 1 and 1 and 1 and 1 **Accessory Controlling Agency:** Jetds; jetds; jetds; jetds **Accessory Identifying Number:** Sg-557/u type no. And cy-4305/urm-52b type no. And cx-3135/u type no. And cg-92e/u type no. And cg-409d/u type no. Joint Electronics Type Designation System Item Name: Generator, signal Joint Electronics Type Designation System Item Type Number: Type no. An/urm-52b **Internal Battery Accommodation:** Not included **Output Impedance Rating:** 50.0 ohms **Voltage Rating:** 115.0 volts **Frequency Band Quantity: Modulation Type:**

Fm and pulse

Accessory Component Name:

Generator, signal; case, signal generator; cable assembly, power electrical; cord, rf; cord, rf

Calibration Accuracy Rating:

Porm 1 pct

NSN 6625-00-965-1501 Signal Generator - Page 2 of 2



Crystal Controlled Feature:
Not provided
Calibrated Signal Output Range:
0 to minus 127 dbm
Signal Output Constancy:
Porm 2 db maximum variation throughout freq range
Modulator Location:
External
Modulated Frequency Rating:
Between 0.040 kilohertz and 40.0 kilohertz
Pulse Repetition Frequency Rating:
Between 40.0 hertz and 400.0 hertz
Modulation Degree:
Between 0.5 usec pulse and 10.0 usec pulse
Phase:
Single
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
Т320-ј