NSN 6625-00-983-6712

Signal Generator - Page 1 of 2

Mounting Type:



View Online at https://aerobasegroup.com/nsn/6625-00-983-6712

Bench
Overall Length:
18.375 inches
Overall Height:
10.375 inches
Overall Width:
16.750 inches
Current Type:
Ac
Frequency Rating:
Between 50.0 hertz and 60.0 hertz
Case Material:
Steel
Case Surface Treatment:
Enameled
Frequency Range Rating:
+54.000/+216.000 megahertz
Accessory Component Quantity:
1
Accessory Controlling Agency:
Booton radio corp
Accessory Identifying Number:
502-b type no.
Internal Battery Accommodation:
Not included
Output Impedance Rating:
50.0 ohms
Voltage Rating:
250.0 volts
Frequency Band Quantity:
2
Modulation Type:
Am and pulse
Accessory Component Name:
Patching cable
Calibration Accuracy Rating:
Porm 0.5 pct
Crystal Controlled Feature:
Not provided
Calibrated Signal Output Range:
0.1 uv to 2 v

NSN 6625-00-983-6712

Signal Generator - Page 2 of 2



Signal Output Constancy:
Porm 1 db maximum variations from 5 cps to 200 kc
Modulator Location:
External
Modulated Frequency Rating:
400.0 hertz
Modulation Degree:
100.0 percent
Phase:
Single
Functional Classification:
Bb-1.1
Entry Date:
91-02-08
Fsc Application Data:
Generator, signal, except specially designed
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
T320-j