NSN 6625-01-004-2062

Frequency Mixer Stage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6625-01-004-2062

Overall Length: 0.405 inches Overall Diameter: 0.353 inches Environmental Protection: Shock resistant and vibration Operating Tempurature Range:
Overall Diameter: 0.353 inches Environmental Protection: Shock resistant and vibration
0.353 inches Environmental Protection: Shock resistant and vibration
Environmental Protection: Shock resistant and vibration
Shock resistant and vibration
Operating Tempurature Range:
-54.0/+100.0 degrees celsius
Storage Tempurature Range:
-65.0/+100.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Cylindrical
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Top of cabinet/counter
Storage Type:
General purpose warehouse
Circuit Construction Type:
Solid state
Frequency Per Channel:
750.0 megahertz operating channel and 2.5 gigahertz operating channel
Average Power Rating Per Channel:
25.0 milliwatts input
Connection Type And Location:
Err-060 glad hand quick disconnect
Connection Contact Type And Quantity:
4 liters of liquid nitrogen drain
Special Features:
T0-5 package type
Supplementary Features:
Single balanced
Fsc Application Data:
Test set, elect. Equip.
Shelf Life:
N/a
Unit Of Measure:

--

NSN 6625-01-004-2062

Frequency Mixer Stage - Page 2 of 2



Demilitarization:

No

Fiig:

A32200