

View Online at <https://aerobasegroup.com/nsn/6625-01-007-9957>

**Overall Length:**

570.000 millimeters

**Overall Height:**

197.000 millimeters

**Overall Width:**

335.000 millimeters

**Current Type:**

Ac or dc

**Frequency Rating:**

Between 48.0 hertz and 440.0 hertz

**Accessory Components And Quantity:**

Blue, light filter 1, front panel cover 1, vinyl storage pouch 1, power cord 1, manual 1

**Voltage Rating:**

Between 100.0 volts and 240.0 volts

**Beam Quantity:**

2

**Graduation Interval:**

Graduated in v/cm both axis

**Accuracy Range In Percent:**

-0.02/+0.02 or -0.06/+0.06 or -0.15/+0.15

**Screen Size:**

6 by 10 centimeters

**Sweep Circuits:**

Included

**Sweep Circuit Type:**

Horizontal and vertical

**Sweep Frequency Range:**

+0.0/+275.0 megahertz

**Trigger Sweep Voltage Amplitude Rating:**

10.0 volts

**Trigger Sweep Polarity Switch:**

Included

**Trigger Sweep Marker Intervals:**

20 nsec and 50 usec

**Expanded Sweep:**

Provided

**Amplifier Deflection Sensitivity Provision:**

Provided

**Vertical Deflection Sensitivity Voltage Rating:**

10.0 millivolts rms per centimeter and 5.0 volts rms per centimeter

**Horizontal Deflection Sensitivity Voltage Rating:**

10.0 millivolts cw minor and 5.0 volts peak minor

**Input Intensity Modulation Feature:**

Provided

**Frequency Response Rating:**

Provided

**Amplifier Input Impedance Rating Provision:**

Provided

**X-axis Input Impedance Rating:**

1.0 megohms

**Y-axis Input Impedance Rating:**

1.0 megohms

**Amplitude Calibrating Voltage Waveform:**

Square wave

**Calibrating Peak To Peak Amplitude:**

3.0 volts

**Calibrated Screen Scale:**

Included

**Trace Storage Tube:**

Not included

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

T320-g