NSN 6625-01-012-4182

Special Scale Meter - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/6625-01-012-4182

Circuit Current For Which Designed:	
Dc	
Dielectric Withstanding Voltage In Volts:	
1500.0	
Overall Length:	
7.730 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
Between 6.043 inches and 6.057 inches	
Center To Center Distance Between Mounting Facilities Parallel To Width:	
Between 0.718 inches and 0.732 inches	
Overall Height:	
1.530 inches	
Overall Width:	
6.700 inches	
Mounting Hole Diameter:	
0.190 inches	
Scale Division Quantity:	
28 single indicator 1st range	
Environmental Protection:	
Humidity resistant and shock resistant and vibration resistant	
Furnished Items And Quantity:	
Nut 8; washer 16	
Indicator Type:	
Dial w/pointer	
Installation Design:	
Panel	
Mounting Arrangement Style:	
Four hole/stud rectangular/square	
Sensitivity Rating:	
20.0 milliamperes	
Dial Scale Marking Color:	
Black single indicator all ranges	
Accuracy In Percent:	
-2.0/+2.0 at full scale single indicator all ranges	
Unable To Decode:	
Unable to decode or unable to decode	
Meter Depth Behind Mounting Flange:	
5.770 inches	
Meter Body Width Behind Mounting Flange:	
5.450 inches	
Movement Type:	
Moving coil permanent megnet	

Moving coil, permanent magnet

NSN 6625-01-012-4182

Special Scale Meter - Page 2 of 3



Background Color: White single indicator all ranges **Pointer Color:** Black single indicator all ranges Scale Marking: Feet; tons; tank 7-89-5-w Mounting Facility Type And Quantity: 4 screw and 4 unthreaded hole Scale Graduation Type: Nonlinear single indicator 2nd range Meter Body Height Behind Mounting Flange: 1.225 inches **Features Provided:** Electrical overload protection and luminous scale marking and nonglare glass and self-illumination facility and zero adjuster **Criticality Code Justification:** Feat **Movement Suspension Method:** Jewel pivot base **Circuit Attachment Method And Quantity:** 2 threaded stud **Operating Voltage Rating In Volts:** 28.0 dc **Special Features:** Full scale values: 40.15 feet and 766.15 tons Material: Steel **Nuclear Hardness Critical Feature:** Nonhardened Surface Treatment: Paint **Special Test Features:** Drawing iaw mil-std-100a; shock iaw mil-s-901; marking iaw mil-std-130; sealing iaw mil-std-108d; vibration iaw mil-std-167 Style Designator: Rectangular semi-flush mtg **Supplementary Features:** Damping factor 2.5 max; response time 2 sec max; insulation res 20 megohms min; edgewise mtg; ruggedized **Fsc Application Data:** Test set, elect. Equip. Shelf Life: N/a Unit Of Measure: **Demilitarization:** No

NSN 6625-01-012-4182

Special Scale Meter - Page 3 of 3

Fiig: A310a0

