

View Online at <https://aerobasegroup.com/nsn/6625-01-022-6809>

Circuit Current For Which Designed:

Ac

Overall Length:

4.500 inches

Scale Division Quantity:

4 single indicator single range

Frequency Rating:

400.0 hertz

Overall Diameter:

2.000 inches

Environmental Protection:

Shock resistant and vibration resistant

Furnished Items And Quantity:

Seal 1

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Dial Scale Marking Color:

Black single indicator single range and yellow single indicator single range

Accuracy In Percent:

-2.0/+2.0 at full scale single indicator single range

Meter Depth Behind Mounting Flange:

4.000 inches

Meter Body Diameter Behind Mounting Flange:

1.940 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator single range

Pointer Color:

Black single indicator single range

Power Source:

External

Mounting Facility Type And Quantity:

1 bezel

Scale Graduation Type:

Linear single indicator single range

Measurement Range:

+0.0/+400.0 kilowatts single indicator single range

Scale Selection Method:

Terminal

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

1 connector, receptacle

Operating Voltage Rating In Volts:

260.0 ac

Phase:

Single

Special Features:

Cover glass coated per boeing d-312-80094-1

Special Markings:

Yellow range arc from 200 to 400

Material:

Steel

Nuclear Hardness Critical Feature:

Nonhardened

Surface Treatment:

Paint

Style Designator:

Round flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A310a0