NSN 6625-01-026-1932

Voltmeter - Page 1 of 2

Circuit Current For Which Designed:



View Online at https://aerobasegroup.com/nsn/6625-01-026-1932

Dc				
Overall Length:				
1.550 inches				
Center To Center Distance Between Mounting Facilities Parallel To Length:				
1.312 inches				
Center To Center Distance Between Mounting Facilities Parallel To Width:				
1.312 inches				
Overall Height:				
1.750 inches				
Overall Width:				
1.750 inches				
Scale Division Quantity:				
10 single indicator single range				
Mounting Stud Length:				
0.450 inches				
Installation Design:				
Panel				
Mounting Arrangement Style:				
Four hole/stud rectangular/square				
Sensitivity Rating:				
concentration realisting.				
1000.0 ohms per volt				
1000.0 ohms per volt				
1000.0 ohms per volt Dial Scale Marking Color:				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent:				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator all ranges				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator all ranges Meter Depth Behind Mounting Flange:				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator all ranges Meter Depth Behind Mounting Flange: 1.000 inches				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator all ranges Meter Depth Behind Mounting Flange: 1.000 inches Meter Body Diameter Behind Mounting Flange:				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator all ranges Meter Depth Behind Mounting Flange: 1.000 inches Meter Body Diameter Behind Mounting Flange: 1.500 inches				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator all ranges Meter Depth Behind Mounting Flange: 1.000 inches Meter Body Diameter Behind Mounting Flange: 1.500 inches Background Color:				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator all ranges Meter Depth Behind Mounting Flange: 1.000 inches Meter Body Diameter Behind Mounting Flange: 1.500 inches Background Color: White single indicator single range				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator all ranges Meter Depth Behind Mounting Flange: 1.000 inches Meter Body Diameter Behind Mounting Flange: 1.500 inches Background Color: White single indicator single range Mounting Facility Type And Quantity:				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator all ranges Meter Depth Behind Mounting Flange: 1.000 inches Meter Body Diameter Behind Mounting Flange: 1.500 inches Background Color: White single indicator single range Mounting Facility Type And Quantity: 4 threaded stud				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator all ranges Meter Depth Behind Mounting Flange: 1.000 inches Meter Body Diameter Behind Mounting Flange: 1.500 inches Background Color: White single indicator single range Mounting Facility Type And Quantity: 4 threaded stud Measurement Range:				
1000.0 ohms per volt Dial Scale Marking Color: Black single indicator single range Accuracy In Percent: -3.0/+3.0 at full scale single indicator all ranges Meter Depth Behind Mounting Flange: 1.000 inches Meter Body Diameter Behind Mounting Flange: 1.500 inches Background Color: White single indicator single range Mounting Facility Type And Quantity: 4 threaded stud Measurement Range: +0.0/+1.0 volts, dc single indicator single range				

Special Markings:

2 turret

Solid green area from 0.4 to 0.6 volts

NSN 6625-01-026-1932

Voltmeter - Page 2 of 2



ate	

Steel

Surface Treatment:

Enamel

Style Designator:

Rectangular flush mtg

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A310a0