

View Online at <https://aerobasegroup.com/nsn/6625-01-028-6104>

Circuit Current For Which Designed:

Dc

Overall Length:

1.130 inches

Scale Division Quantity:

10 single indicator single range

Overall Diameter:

0.687 inches

Environmental Protection:

Cold resistant and corrosion resistant and heat resistant and shock resistant and vibration resistant and watertight

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Sensitivity Rating:

1.0 milliamperes

Dial Scale Marking Color:

White single indicator single range

Accuracy In Percent:

-2.0/+2.0 at full scale single indicator single range

Meter Depth Behind Mounting Flange:

0.940 inches

Meter Body Diameter Behind Mounting Flange:

0.718 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

Black single indicator single range

Pointer Color:

White single indicator single range

Scale Marking:

Nine scale divisions

Mounting Facility Type And Quantity:

1 collar and 1 threaded body

Scale Graduation Type:

Linear single indicator single range

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

2 solder stud

Special Features:

Zero left scale, 90 degrees long, axis coincident with body axis

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Round flush mtg

Fsc Application Data:

Test set, elect. Equip.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiiig:

A310a0