NSN 6625-01-036-7598

Multimeter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6625-01-036-7598

Dielectric Withstanding Voltage In Volts:
1200.0
Overall Length:
8.688 inches
Overall Height:
2.375 inches
Overall Width:
8.125 inches
Frequency Rating:
Between 48.000 hertz and 440.000 hertz
Furnished Items And Quantity:
Manual 1, power cord 1, handle 1, test lead 2
Indicator Type:
Digital display
Dial Scale Marking Color:
Orange single indicator single range
Background Color:
Black single indicator single range
Power Source:
External
Scale Selection Method:
Scale Selection Method: Switch
Switch
Switch Features Provided:
Switch Features Provided: Portable and electrostatic shield and zero adjuster
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts:
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc Phase:
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc Phase: Single
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc Phase: Single Material:
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc Phase: Single Material: Plastic
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc Phase: Single Material: Plastic Style Designator:
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc Phase: Single Material: Plastic Style Designator: D1 rectangular or square
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc Phase: Single Material: Plastic Style Designator: D1 rectangular or square Shelf Life:
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc Phase: Single Material: Plastic Style Designator: D1 rectangular or square Shelf Life: N/a
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc Phase: Single Material: Plastic Style Designator: D1 rectangular or square Shelf Life: N/a
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc Phase: Single Material: Plastic Style Designator: D1 rectangular or square Shelf Life: N/a Unit Of Measure:
Switch Features Provided: Portable and electrostatic shield and zero adjuster Operating Voltage Rating In Volts: Between 102.0 dc and 130.0 dc Phase: Single Material: Plastic Style Designator: D1 rectangular or square Shelf Life: N/a Unit Of Measure: Demilitarization: