

View Online at <https://aerobasegroup.com/nsn/6625-01-036-8355>

**Circuit Current For Which Designed:**

Dc

**Environmental Protection:**

Shock resistant and vibration resistant

**Indicator Type:**

Dial w/pointer

**Dial Scale Marking Color:**

Black single indicator all ranges

**Accuracy In Percent:**

-2.0/+2.0 at full scale single indicator all ranges

**Movement Type:**

Moving coil, permanent magnet

**Background Color:**

White single indicator all ranges

**Pointer Color:**

Black single indicator all ranges

**Scale Graduation Type:**

Nonlinear single indicator all ranges

**Measurement Range:**

+0.0/+500.0 ohms single indicator 1st range

**Features Provided:**

Zero adjuster

**Meter Replacement Type:**

Multimeter

**Movement Suspension Method:**

Jewel pivot base

**Circuit Attachment Method And Quantity:**

2 solder lug and 2 threaded stud

**Special Features:**

Ruggedized

**Special Markings:**

Ohms scale green, mils and volts black

**Nuclear Hardness Critical Feature:**

Nonhardened

**Special Test Features:**

Mark iaw mil-m-13231

**Supplementary Features:**

Res 1560 ohms porm 10 pct

**Fsc Application Data:**

Test set, elect. Equip.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A310a0