

View Online at <https://aerobasegroup.com/nsn/6625-01-039-7293>

Circuit Current For Which Designed:

Ac

Overall Length:

1.532 inches

Overall Height:

0.798 inches

Overall Width:

2.118 inches

Mounting Hole Diameter:

0.103 inches

Scale Division Quantity:

10 single indicator 1st range

Distance Between Mounting Facility Centers:

1.925 inches

Indicator Type:

Dial w/pointer

Installation Design:

Panel

Mounting Arrangement Style:

Two hole/stud

Dial Scale Marking Color:

Black single indicator 2nd range and red single indicator 2nd range

Accuracy In Percent:

-3.0/+3.0 at full scale single indicator all ranges

Meter Depth Behind Mounting Flange:

0.891 inches

Meter Body Width Behind Mounting Flange:

1.517 inches

Movement Type:

Moving coil, permanent magnet

Background Color:

White single indicator all ranges

Pointer Color:

Black single indicator all ranges

Power Source:

External

Mounting Facility Type And Quantity:

2 unthreaded hole

Scale Graduation Type:

Nonlinear single indicator 2nd range

Measurement Range:

-20.0/+3.0 voice units single indicator 2nd range

Scale Selection Method:

Terminal

Meter Body Height Behind Mounting Flange:

0.795 inches

Criticality Code Justification:

Feat

Movement Suspension Method:

Jewel pivot base

Circuit Attachment Method And Quantity:

2 solder lug

Special Features:

Critical application: intelligence analysis center (magis) (an/tyq-1 (v)2)

Material:

Plastic

Nuclear Hardness Critical Feature:

Nonhardened

Style Designator:

Rectangular flush mtg

Supplementary Features:

Shorting wire between terminals

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A310a0